Contents

Adams III WW, Díaz M, Winter K: Diurnal changes in photochemical efficiency, the reduction state of Q, radiationless energy dissipation, and non-photochemical fluorescence quenching in cacti exposed to natural sunlight in northern Venezuela 553
Alcaraz M → Duarte CM
Allainé D → Pontier D
Amundson RG, Chadwick OA, Sowers JM: A comparison of soil climate and biological activity along an elevation gradient in the eastern Mojave Desert 395
Anderson JE → Toft NL
Andersson S: Life-history variation in *Crepis tectorum* (Asteraceae) 540
Archer S → Brown JR
Arsuffi TL → Bärlocher F

Bärlocher F, Arsuffi TL, Newell SY: Digestive enzymes of the saltmarsh periwinkle *Littorina irrorata* (Mollusca: Gastropoda) 39
Bauwens D → Van Damme R
Bell G → Iglesias MC
Berenbaum MR, Zangerl AR, Lee K: Chemical barriers to adaptation by a specialist herbivore 501
Beukema JJ: Molluscan life spans and long-term cycles in benthic communities 570
Bien A → Walter CA
Boeken B: Life histories of desert geophytes – the demographic consequences of reproductive biomass partitioning patterns 278
Bregman R → Brock TCM
Breman H → Elberse WT
Brew CR, O'Dowd DJ, Rae ID: Seed dispersal by ants: behaviour-releasing compounds in elaiosomes 490
Brizuela JKDMA → Cid MS
Brock TCM, Bregman R: Periodicity in growth, productivity, nutrient content and decomposition of *Sphagnum recurvum* var. *mucronatum* in a fen woodland 44
Browman HI → O'Brien WJ
Brown BJ → Harrington RA
Brown JR, Archer S: Woody plant invasion of grasslands: establishment of honey mesquite (*Prosopis glandulosa* var. *glandulosa*) on sites differing in herbaceous biomass and grazing history 19
Bujalska G, Grüm L: Social organization of the bank vole (*Clethrionomys glareolus* , Schreber 1780) and its demographic consequences: a model 70

Caldwell MM → Gold WG
Cameron GN, Spencer SR: Rapid leaf decay and nutrient release in a chinese tallow forest 222
Castilla AM → Van Damme R
Chadwick OA → Amundson RG
Chant DA → Yao DS
Cheplick GP → Clay K
Chown SL, Scholtz CH: Biology and ecology of the *Dusmoecetes* Jeannel (Col. Curculionidae) species complex on Marion Island 93
Cid MS, Brizuela JKDMA, Whicker AD: Patterns in grass silicification: response to grazing history and defoliation 268
Clay K, Cheplick GP, Marks S: Impact of the fungus *Balansia henningsiana* on *Panicum agrostoides*: frequency of infection, plant growth and reproduction, and resistance to pests 374
Colgan P → Gotceitas V
Cottam DA → Warrington S

Davidson NJ, True KC, Pate JS: Water relations of the parasite: host relationship between the mistletoe *Amyema linophyllum* (Fenzl) Tieghem and *Casuarina obesa* Miq. 321
Davis SD → Saruwatari MW
Davis SD → Thomas CM
Day TA, DeLucia EH, Smith WK: Influence of cold soil and snowcover on photosynthesis and leaf conductance in two Rocky Mountain conifers 546
DeLaune RD → Pezeshki SR
Delisle J → McNeil JN
DeLucia EH → Day TA
DeMarco VG: Annual variation in the seasonal shift in egg size and clutch size in *Sceloporus woodi* 525
Deneubourg JL → Goss S
Díaz M → Adams III WW
Duarte CM, Alcaraz M: To produce many small or few large eggs: a size-independent reproductive tactic of fish 401
Duncan P → Pontier D

Eijsackers H → Tranvik L
Elberse WT, Breman H: Germination and establishment of Sahelian rangeland species. I. Seed properties 477
Elstner EF, Fink R, Höll W, Lengfelder E, Ziegler H: Radioactivity in mushrooms, mosses and soil samples of defined biotops in SW Bavaria – two years after "Chernobyl" 173
Evans BI → O'Brien WJ

Fink R → Elstner EF
Fownes JH → Harrington RA
Fox LR → Letourneau DK
Fresneau D → Goss S
Friday LE: Rapid turnover of traps in *Utricularia vulgaris* L. 272

Gadagkar R: An undesirable property of Hill's diversity index N_2 140
Gaillard JM → Pontier D
Gleason M → Sousa WP
Gold WG, Caldwell MM: The effects of the spatial pattern of defoliation on regrowth of a tussock grass. I. Growth responses 289
Gordon I → Pontier D
Goss S, Fresneau D, Deneubourg JL, Lachaud J-P, Valenzuela-Gonzalez J: Individual foraging in the ant *Pachycondyla apicalis* 65
Gotceitas V, Colgan P: Predator foraging success and habitat complexity: quantitative test of the threshold hypothesis 158
Greissl R → Vogelei A
Grüm L → Bujalska G
Gunther AJ → Hart SC

Hanover JW → Muzika RM
Harper JL: The value of a leaf 53
Harrington RA, Brown BJ, Reich PB: Ecophysiology of exotic and native shrubs in Southern Wisconsin. I. Relationship of leaf characteristics, resource availability, and phenology to seasonal patterns of carbon gain 356
Harrington RA, Brown BJ, Reich PB, Fownes JH: Ecophysiology of exotic and native shrubs in Southern Wisconsin. II. Annual growth and carbon gain 368
Hart SC, Gunther AJ: In situ estimates of annual net nitrogen mineralization and nitrification in a subarctic watershed 284
Hartnett DC: Density- and growth stage-dependent responses to defoliation in two rhizomatous grasses 414
Hazlett DL → Liang YM
Hedrick AV, Riechert SE: Genetically-based variation between two spider populations in foraging behavior 533
Heller K-G, Helversen O v.: Resource partitioning of sonar frequency bands in rhinolophoid bats 178
Helversen O v. → Heller K-G
Herrera CM: Pollinator abundance, morphology, and flower visitation rate: analysis of the "quantity" component in a plant-pollinator system 241
Higashi S, Ito F: Defense of termitaria by termitophilous ants 145
Höll W → Elstner EF

Iglesias MC, Bell G: The small-scale spatial distribution of male and female plants 229
Ito F → Higashi S

Johnson SG, Johnston RF: A multifactorial study of variation in interclutch interval and annual reproductive success in the feral pigeon, *Columba livia* 87
Johnston RF → Johnson SG
Jong TJ de, Klinkhamer PGL: Limiting factors for seed production in *Cynoglossum officinale* 167

Kalmring K → Stiedl O
Karowe DN: Differential effect of tannic acid on two tree-feeding Lepidoptera: implications for theories of plant antiherbivore chemistry 507
Keller L, Passera L: Size and fat content of gynes in relation to the mode of col-

ony founding in ants (Hymenoptera; Formicidae) 236
Kinsbursky RS, Steinberger Y: Root and microbial biomass dynamics under the canopy of the desert shrub *Zygophyllum dumosum* 498
Klepzig KD → Raffa KF
Klinkhamer PGL → Jong TJ de
Konings H, Koot E, Tijman-de Wolf A: Growth characteristics, nutrient allocation and photosynthesis of *Carex* species from floating fens 111
Koot E → Konings H
Kummerow J → Murray KJ

Lachaud J-P → Goss S
Lajtha K, Whitford WG: The effect of water and nitrogen amendments on photosynthesis, leaf demography, and resource-use efficiency in *Larrea tridentata*, a desert evergreen shrub 341
Lauenroth WK → Liang YM
Lee K → Berenbaum MR
Lengfelder E → Elstner EF
Lepart J → Mesléard F
Letourneau DK, Fox LR: Effects of experimental design and nitrogen on cabbage butterfly oviposition 211
Liang YM, Hazlett DL, Lauenroth WK: Biomass dynamics and water use efficiencies of five plant communities in the shortgrass steppe 148
Lincoln DE → Mihaliak CA
Littler DS → Littler MM
Littler MM, Taylor PR, Littler DS: Complex interactions in the control of coral zonation on a Caribbean reef flat 331

Marks S → Clay K
McNeil JN, Delisle J: Host plant pollen influences calling behavior and ovarian development of the sunflower moth, *Homoeosoma electellum* 201
Mesléard F, Lepart J: Continuous basal sprouting from a lignotuber: *Arbutus unedo* L. and *Erica arborea* L., as woody Mediterranean examples 127
Meyer A: Cost of morphological specialization: feeding performance of the two morphs in the trophically polymorphic cichlid fish, *Cichlasoma citrinellum* 431
Mihaliak CA, Lincoln DE: Plant biomass partitioning and chemical defense: Response to defoliation and nitrate limitation 122
Monson RK: The relative contributions of reduced photorespiration, and improved water- and nitrogen-use efficiencies, to the advantages of C_3–C_4 intermediate photosynthesis in *Flaveria* 215
Murray KJ, Tenhunen JD, Kummerow J: Limitations on *Sphagnum* growth and net primary production in the foothills of the Philip Smith Mountains, Alaska 256
Muzika RM, Pregitzer KS, Hanover JW: Changes in terpene production following nitrogen fertilization of grand fir (*Abies grandis* (Dougl.) Lindl.) seedlings 485

Newell SY → Bärlocher F
Nicolai V: Thermal properties and fauna on the bark of trees in two different African ecosystems 421
Niklas KJ: The effect of leaf-lobing on the interception of direct solar radiation 59
Nowak RS → Toft NL

O'Brien WJ, Evans BI, Browman HI: Flexible search tactics and efficient foraging in saltatory searching animals 100
O'Dowd DJ → Brew CR

Passera L → Keller L
Pate JS → Davidson NJ
Patrick, WH Jr. → Pezeshki SR
Pearcy RW → Pfitsch WA
Peterson CH, Renaud PE: Analysis of feeding preference experiments 82
Pezeshki SR, DeLaune RD, Patrick, WH Jr.: Effect of fluctuating rhizosphere redox potential on carbon assimilation of *Spartina alterniflora* 132
Pfitsch WA, Pearcy RW: Daily carbon gain by *Adenocaulon bicolor* (Asteraceae), a redwood forest understory herb, in relation to its light environment 465
Pfitsch WA, Pearcy RW: Steady-state and dynamic photosynthetic response of *Adenocaulon bicolor* (Asteraceae) in its redwood forest habitat 471
Pontier D, Gaillard JM, Allainé D, Trouvilliez J, Gordon I, Duncan P: Postnatal growth rate and adult body weight in mammals: a new approach 390
Pregitzer KS → Muzika RM

Rae ID → Brew CR
Raffa KF, Klepzig KD: Chiral escape of bark beetles from predators responding to a bark beetle pheromone 566
Rankin MA → Zera AJ
Raupp MJ, Sadof CS: Behavioral responses of a leaf beetle to injury-related changes in its salicaceous host 154
Reich PB → Harrington RA
Renaud PE → Peterson CH
Riechert SE → Hedrick AV
Rydell J: Feeding activity of the northern bat *Eptesicus nilssoni* during pregnancy and lactation 562

Sadof CS → Raupp MJ
Saruwatari MW, Davis SD: Tissue water relations of three chaparral shrub species after wildfire 303
Scholtz CH → Chown SL
Sinsch U: Behavioural thermoregulation of the Andean toad (*Bufo spinulosus*) at high altitudes 32
Sjöberg K: Time-related predator/prey interactions between birds and fish in a northern Swedish river 1
Slagsvold T: Experiments on clutch size and nest size in passerine birds 297
Smith WK → Day TA
Sousa WP, Gleason M: Does parasitic infection compromise host survival under extreme environmental conditions? The case for *Cerithidea californica* (Gastropoda: Prosobranchia) 456
Sowers JM → Amundson RG
Spence JR → Zimmermann M
Spencer SR → Cameron GN
Steinberger Y → Kinsbursky RS
Stiedl O, Kalmring K: The importance of song and vibratory signals in the behaviour of the bushcricket *Ephippiger ephippiger* Fiebig (Orthoptera, Tettigoniidae): taxis by females 142

Taylor PR → Littler MM
Telenius A, Torstensson P: The seed dimorphism of *Spergularia marina* in relation to dispersal by wind and water 206
Tenhunen JD → Murray KJ
Thomas CM, Davis SD: Recovery patterns of three chaparral shrub species after wildfire 309
Thomas SC, Weiner J: Including competitive asymmetry in measures of local interference in plant populations 349
Tijman-de Wolf A → Konings H
Toft NL, Anderson JE, Nowak RS: Water use efficiency and carbon isotope composition of plants in a cold desert environment 11
Torstensson P → Telenius A
Tranvik L, Eijsackers H: On the advantage of *Folsomia fimetarioides* over *Isotomiella minor* (Collembola) in a metal polluted soil 195
Trouvilliez J → Pontier D
True KC → Davidson NJ

Valenzuela-Gonzalez J → Goss S
Van Damme R, Bauwens D, Castilla AM, Verheyen RF: Altitudinal variation of the thermal biology and running performance in the lizard *Podarcis tiliguerta* 516
Verheyen RF → Van Damme R
Vogelei A, Greissl R: Survival strategies of the crab spider *Thomisus onustus* Walckenaer 1806 (Chelicerata, Arachnida, Thomisidae) 513

Walter CA, Bien A: Aerial root nodules in the tropical legume, *Pentaclethra macroloba* 27
Warrington S, Cottam DA, Whittaker JB: Effects of insect damage on photosynthesis, transpiration and SO_2 uptake by sycamore 136
Weiner J → Thomas SC
Whicker AD → Cid MS
Whitford WG → Lajtha K
Whittaker JB → Warrington S
Wilson JB: A null model of guild proportionality, applied to stratification of a New Zealand temperate rain forest 263
Winter K → Adams III WW
Wolda H: Seasonal cues in tropical organisms. Rainfall? Not necessarily! 437
Wolters V: The influence of omnivorous elaterid larvae on the microbial carbon cycle in different forest soils 405

Worthington AH: Adaptations for avian frugivory: assimilation efficiency and gut transit time of *Manacus vitellinus* and *Pipra mentalis* 381

Yao DS, Chant DA: Population growth and predation interference between two species of predatory phytoseiid mites (Acarina: Phytoseiidae) in interactive systems 443

Zangerl AR → Berenbaum MR

Zera AJ, Rankin MA: Wing dimorphism in *Gryllus rubens:* genetic basis of morph determination and fertility differences between morphs 249

Ziegler H → Elstner EF

Zimmermann M, Spence JR: Prey use of the fishing spider *Dolomedes triton* (Pisauridae, Araneae): an important predator of the neuston community 187

Indexed in *Current contents*

Index of key words

Abortion 167
Aboveground growth 368
Acer pseudoplatanus 136
Aerial nodules 27
Africa 421
Alder 284
Algivore/corallivore guilds 331
Allocation 111, 122, 485
Allometry 390
Altitudinal variation 516
Amyema linophyllum 321
Andes 32
Andropogon 414
Ant 236
Ants 145, 490
Arbutus unedo 127
Arthropod fauna 421
Asymmetric competition 349
Avian ecology 381
Avoidance 195

Balansia henningsiana 374
Basal sprouting 127
h litter decomposition 405
Behavioral ecology 100
Behavioral genetics 533
Bellevalia desertorum 278
Biological control 443
Biology 93
Biomass 148
Bluegill 158
Body mass 87
Body size 390
Brassica 211
Brood reduction 297
Bufo spinulosus 32
Bulbous plants 278

C_3/C_3 intermediate photosynthesis 215
Cacti 553
Cannibalism 187
Capture rate 65
Carbon assimilation 53
Carbon dioxide 395
Carbon gain 356, 368
Carbon isotope composition 11
Carbon turnover 405
Caribbean 331
Carnivorous plants 272
Casuarina obesa 321
Ceanothus 309
Cerithidea californica 456
Cesium isotopes 174
Chaparral 303, 309
Chernobyl 174
Chirality 566
Chlorophyll fluorescence quenching 553
Cicadas 437
Clans 70
Clipping 289
Clonal growth 414
Clutch size 297, 525
Coevolution 566
Collembola 195
Colony founding 236
Colorado 148
Columba livia 87
Communication 173
Community ecology 140
Community structure 173, 263
Competition 19, 414
Competition rate 65
Conductance 19
Corsica 127
Cost of specialization 431
Crassulacean acid metabolism (CAM) 553
Crepis tectorum 540
Curculionid beetles 93

Decomposition 44, 222
Defense 53
Defoliation 122, 289
Demography 278
Desert 498
Desert ecophysiology 553
Desert soils 395
Dew-point hygrometry 303
Diel rhythms 1
Digenean trematode 456
Digestion 381
Digestive enzymes 39
Directional selection 87
Dispersal 19
Distribution metals 195
Disturbance 127
Diversity indices 140
Dolomedes triton 187

Echolocation calls 173
Ectemnorhinini 93
Egg size 525
Elaiosome 490
Elaterid larvae 405
Energetics 562
Environmental variation 525
Erica arborea 127
Evolution of photosynthesis 215
Exotic shrubs 356, 368
Exotic species 222

Fat content 236
Feeding 562
Fish-coral interactions 331
Fish-eating birds 1
Fish eggs 401
Flaveria 215
Flower production 167
Food flow 65
Food preference 195
Foraging 158
Foraging area 65
Foraging behavior 154, 241, 533
Foraging benefit 65
Forest dynamics 421
Forest stratification 263
Frugivory 381
Fruit-eating birds 381
Fungal digestion 39
Fungal endophyte 374
Furanocoumarins 501

Genetic polymorphism 249
Germination 477
Gerridae 187
Gestation 562
Grand fir 485
Growth 256, 374
Growth rhythm 44
Gryllus rubens 249
Guild proportionality 263
Gut transit time 381

Habitat Complexity 158
Habitat preference 229
Haustorium 321
Heliothermy 32
Herbivory 82, 268, 374, 414
Heterotheca subaxillaris 122
Hill's diversity indices 140
Host population 456

Induced responses 154
Insect activity 562
Insect damage 136
Insectivorous bats 562
Insect-plant interactions 211
Intraguild predation 187

Juvenility 53

^{40}K 174
Kairomones 566
K-selection 540

Larrea tridentata 341
Lavandula latifolia 241
Leaf area 368
Leaf area ratio 111
Leaf demography 341
Leafhopper 136
Leaf-lobing 59
Leaf longevity 356
Legume-*Rhizobium* symbiosis 27
Life cycle 93
Life-history 540
Life-history variation 249
Light interception 59
Lignotuber 127
Lime amelioration 405
Lipids 490
Littorina irrorata 39
Local interference 349

Malacosoma disstria 507
Mammals 390
Meat ants 145
Microbial biomass 498
Microhabit preference 229
Mistletoe 321
Molluscivorous cichlids 431
Monocarpic perennial 167
Monoterpene 485
Morphological adaptation 431
Mushrooms 174
Mutualism 145, 241, 490

Nectar 513
Neighborhood analysis 349
Neotropics 437
Nesting place 297
Nest size 297
Net assimilation rate 111

N fixation 27
Niche limitation 263
Nitrate availability 122
Nitrogen 211
Nitrogen 485
Nitrogen availability 11, 284
Nitrogen-use efficiency 215
Northern rivers 1
Null model 263
Nutrient release 222
Nutrient resorption 341
Nutrient-use efficiency 341
Nutrition 513
Nutritional ecology 211, 507

One-sided competition 349
Optimal foraging behavior 100
ords. Species diversity 140
Organic matter decomposition 395
Orgyia leucostigma 507
Orientation 142
Osmotic potential 303

Panama 437
Panicum 414
Panicum agrostoides 374
Parasitism 456
Parsnip webworm 501
Paspalum plicatulum 19
Passerines 297
Pelagic-demersal eggs 401
Pentaclethra macroloba 27
Pheromones 566
Phono-and vibrotactic behaviour 142
Photochemistry 553
Photorespiration 215
Photosynthesis 11, 132, 136, 341, 356, 546
Photosynthetic induction 471
Physiological stress 456
Phytoseiid mites 443
Picea engelmannii 546
Pieris rapae 211
Pinus contorta 546
Plagiodera versicolora 154
Plant-animal interactions 268
Plant-insect interactions 501
Plant-plant interactions 349
Plant polysaccharides 39
Podarcis biliguerta 516
Pollen 513
Pollinator abundance 241
Population growth 443
Population variation 533
Porites 331
Postnatal growth rate 390
Prairie dogs 268
Predation 158, 566
Predation cycle 100
Predation interference 443
Preference experiment 82
Pressure-volume curve 303
Prey availability 1
Prey use 187
Production 44
Puantum yield 471

Quantitative genetics 87

Rainfall 278, 437
Rangeland 477
Reef zonation 331
Regrowth 289
Relative growth rate 111
Reproduction 70, 525
Reproductive strategies 236
Reproductive success 87
Reproductive tactics 401
Reptilia 525
Resources 167
Rhus 309
Root/shoot ratio 122
Root biomass 498
Root characteristics 111
Root depth 309
Roots 546
r-selection 540
Sahel 477
Salix alba 'Tristis' 154
Saltatory search 100
Salt mash 132
Schizachyrium scoparium 19
Scolytidae 566
Seasonal cues 437
Seasonal rhythms 1
Seed dimorphism 206
Seed dispersal 490
Seedling survival 309
Seed production 167
Senescence 53
Sesquiterpene 485
Sex separation 229
Shade adaptation 471
Shrub productivity 368
Silica 268
Snow 546
Social relations 70
Soil 498
Soil microflora 405
Soil redox potential 132
Soil temperature 546
SO_2 uptake 136
Spartina alterniflora 39
Spartina alterniflora 132
Spatial pattern 289
Specialization 241
Spergularia marina 206
Sphagnum 44, 256
Spiders 533
Standing crop 93
Statistical analysis 82
Steppe 148
Stress adaptation 540
Substrate qualitiy 284
sunflecks 471
Survival 70
Survival rate 513

Tannic acid 507
Teleostean fish 401
Termites 145
Termitophiles 145
Territories 70
Tettigoniids 142
Thermal biology 516
Thermal load 59
Thermal properties 421
Thigmothermy 32
Thomisus onustus spiderlings 513
Thresholds 158
Toxin 507
transleut photosynthesis 471
Trap lifespan 272
Trees bark 421
Trophic polymorphism 431
Tundra 256, 284
Turgor 303
Turnover rate 272
Tussock grass 289
Tussock tundra 256

Understory 356
Utricularia vulgaris 272

Vegetation dynamics 477
Vegetation ramification 229
Vibratory signals (Tremulation) 142
Volcanic ash 284

Water availability 11
Water balance 32
Water dispersal 206
Water loss 136
Water relations 321
Water-use efficiency 148, 341
Water use efficiency 11
Wetland forest 44
White spruce 284
Wild parsnip 501
Wind dispersal 206
Wing polymorphism 249

Xylem water potential 19

Zygophyllum dumosum 498